

Index

VOLUME 4

Included in this issue is the index for Volume 4 of *Power Reactor Technology*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. Here the bold numbers denote issues, and the other numbers denote pages.

A

A-nickel alloy, corrosion by carbon monoxide, carbon monoxide-carbon dioxide systems, and carbon monoxide-hydrogen systems, **3**: 43-4
A1W Reactor
See Reactor (A1W)
 Accidents, Los Alamos Scientific Laboratory criticality accident, August 1945, **2**: 29
 Oak Ridge National Laboratory criticality accident, May 1954, **2**: 29
 Y-12 Plant criticality accident, June 1958, **2**: 29
 Acetone, reactions with uranium carbides, **1**: 47
 Acids, reactions with uranium carbides, **1**: 47
 Advanced Gas-Cooled Reactor
See Reactor (Advanced Gas-Cooled)
 Advanced Organic-Moderated Reactor
See Reactor (Advanced Organic-Moderated)
 Advanced Sodium Graphite Reactor
See Reactor (Advanced Sodium Graphite)
 AGN-201M Reactor
See Reactors (AGN-201)
 AGR Reactor (UK)
See Reactor (Advanced Gas-Cooled) (UK)
 Air, reactions with uranium carbides, **1**: 46-7
 Alco Products Critical Facility
See Reactor (Alco Products Critical Facility)
 Alkalies, reactions with uranium carbides, **1**: 47
 Allis-Chalmers Manufacturing Company, nuclear superheater research, **3**: 82
 Alpha radiation
See Radiation (alpha)
ALPR
See Reactor (SL-1)
 Aluminum, compatibility with steel, **1**: 1-2
 corrosion by carbonic acid, **3**: 45
 corrosion by water, **1**: **2**; **3**: 46
 criticality effects of tubes, **2**: 11
 reactions with uranium carbides, **1**: 45
 Aluminum alloys, corrosion by water, **1**: **2**
 Aluminum-lithium-6 alloys, reactivity worth, **4**: 40
 Aluminum-molybdenum-uranium alloys
See Uranium-molybdenum-aluminum alloys

Aluminum-plutonium alloys
See Plutonium-aluminum alloys
 Aluminum-uranium alloys
See Uranium-aluminum alloys
 Ammonia, hydrazine synthesis from, **3**: 1-2
 reactions with uranium carbides, **1**: 47
 Ammonium citrate process, corrosion of reactor materials, **3**: 45
 Analytical methods, reactor kinetics, **2**: 28-30
 Annuli, burnout, **3**: 21-4
 cooling with solid-gas systems, **3**: 16-17
 forced-convection heat transfer, **2**: 13-15
 Antimony, shielding applications, **2**: 34
 APDA fast-breeder reactor
See Reactor (Enrico Fermi Fast-Breeder)
 Approach-to-critical experiments, NRU Reactor, **2**: 11
APS-1 Reactor (USSR)
See Reactor (APS-1)(USSR)
 Argonne Low-Power Reactor
See Reactor (SL-1)
 Argonne National Laboratory, nuclear superheater research, **3**: 82-3
ASME Boiler and Pressure Vessel Code
See Boiler codes
 ASTM boiler codes
See Boiler codes
 Atomic power
See Nuclear power
 Atomic power plants
See Power plants (nuclear)
 Atomics International, Division of North American Aviation, Inc., nuclear superheater research, **3**: 83
AVR Reactor (West Germany)
See Reactor (AVR)(West Germany)

B

Benzene, reactions with uranium carbides, **1**: 47
Berkeley Reactors (UK)
See Reactors (Berkeley)(UK)
 Beryllium, neutron reflection, **3**: 10
 radiation effects, **1**: 65
 reactions with uranium carbides, **1**: 46
 Beryllium-moderated reactors
See Reactors (beryllium-moderated)
 Beryllium oxide-uranium dioxide systems
See Uranium dioxide-beryllium oxide systems

Beryllium-uranium alloys
See Uranium-beryllium alloys
 Bismuth, reactions with uranium carbides, **1**: 46
BN-50 Reactor (USSR)
See Reactor (BN-50)(USSR)
 Bohunice Reactor (Czechoslovakia)
See Reactor (Bohunice)(Czechoslovakia)
 Boiler codes, ASME specifications for boilers and pressure vessels, **2**: 44-8
 ASTM specifications for reactor pressure vessels, **4**: 50-1
 British specifications for reactor pressure vessels, **4**: 51-4
 Boiling, bubble formation, **2**: 26
 burnout, **3**: 21-4; **4**: 25-8
 heat transfer, **2**: 15-18; **3**: 24-6
 transient experiments, **2**: 26-7
 Boiling (bulk), heat transfer with terphenyl, **4**: 82
 Boiling (nucleate), departure from, **3**: 24-5
 heat transfer, **1**: 27-9
 heat transfer with terphenyl, **4**: 82
 hydrodynamic factors, **3**: 25
 in spray cooling, **4**: 22
 Boiling songs, in rectangular channels, **1**: 29
 Boiling-water reactors
See Reactors (boiling-water)
BONUS Reactor
See Reactor (BONUS)
 Boral, shielding properties, **2**: 36
BORAX Reactors
See Reactors (BORAX)
 Borides
See also specific borides
 corrosion, **4**: 42-3, 44
 radiation effects, **4**: 42-3, 44
 Boron, corrosion by steam, **4**: 44
 radiation effects, **4**: 44
 reactivity-worth burnup, **4**: 41
 solubility in boiling water, **4**: 43
 Boron carbide, corrosion by steam, **4**: 44
 radiation effects, **4**: 44
 reactivity worth, **4**: 40, 41
 solubility in boiling water, **4**: 43
 Boron glass, reactivity worth, **4**: 40
 Boron nitride, corrosion by steam, **4**: 44
 solubility in boiling water, **4**: 43
 Boron-stainless steel systems, failure in control rods, **4**: 43, 45-6
 poisoning properties, **2**: 10
 Boron steel
See Steel (boron)

Boundary layer, heat-transfer effects, 2: 16-17
 BR-3 Reactor
 See Reactor (BR-3)(Belgium)
 BR-5 Reactor (USSR)
 See Reactor (BR-5)(USSR)
 Bradwell Reactors (UK)
 See Reactors (Bradwell)(UK)
 Breeding, 1: 5-9
 factors in uranium-238-plutonium-239 systems, 4: 91-4
 nuclear superheaters, 3: 83
 uranium carbides, ratios, 1: 51-2
 uranium-molybdenum alloys, 1: 51-2
 Bromine, reactions with uranium carbides, 1: 47
 Bubbles, formation, 3: 24
 formation by nucleation, 2: 26
 Bulk Shielding Reactors
 See Reactors (Bulk Shielding)
 Burners, for high-boiling fractions from Piqua Power Reactor, 2: 83-4
 Burnout, 3: 17-24; 4: 25-8
 BORAX-I Reactor, 1: 38
 effect of flow and pressure drop, 2: 18
 free convection conditions, 2: 17-18
 SPERT-I Reactor, 1: 38
 TREAT Reactor, 1: 40-1
 Butterfly valves
 See Valves (butterfly)
 Byeloyarsk Reactor (USSR)
 See Reactor (Byeloyarsk)(USSR)

C

Cables (coaxial)
 See Coaxial cables
 Cadmium, flux hardening effects, 1: 11-12
 reactivity-worth burnup, 4: 41-2
 Cadmium-covered gold foils
 See Foils (gold)
 Cadmium-indium-silver alloys, control-rod applications, 3: 48-50
 reactivity-worth burnup, 4: 42
 Cadmium-silver alloys, reactivity worth, 4: 40
 Calandria, sodium graphite reactors, 3: 88, 89-91
 Calcium hexaboride, corrosion by steam, 4: 44
 radiation effects, 4: 44
 solubility in boiling water, 4: 43
 Calder Hall Reactors (UK)
 See Reactors (Calder Hall)(UK)
 Canada, coal reserves, 2: 1-2
 CANDU Reactor (Canada)
 See Reactor (CANDU)(Canada)
 Canned moderators
 See Moderators (canned)
 Carbon dioxide, corrosion of iron alloys, 3: 43
 corrosion of nickel alloys, 3: 43
 reactions with uranium carbides, 1: 47
 Carbon dioxide-carbon monoxide systems, corrosion of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 3: 43-4
 Carbon monoxide, corrosion of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 3: 43-4
 corrosion of iron alloys, 3: 43
 corrosion of nickel alloys, 3: 43
 Carbon monoxide-carbon dioxide systems
 See Carbon dioxide-carbon monoxide systems
 Carbon monoxide-hydrogen systems, corrosion of A-nickel, chromium-molybdenum steel, copper, Inconel, Inconel 702, Inconel X, molybdenum, Monel, niobium, niobium-titanium alloys, niobium-zirconium alloys, and stainless steel, 3: 43-4
 Carbon steel
 See Steel (carbon)
 Carbon tetrachloride, reactions with uranium carbides, 1: 47
 Carbon-uranium systems
 See Uranium-graphite systems
 Carbonic acid, corrosion of aluminum, 3: 46
 Carolinas-Virginia Power Reactor
 See Reactor (Parr Shoals Power)
 Carrier Vessel Reactor
 See Reactor (A1W)
 Centrifugal pumps
 See Pumps (centrifugal)
 Cesium chloride-lithium chloride-rubidium chloride-sodium chloride systems, fuel cell applications, 3: 2
 CETR
 See Reactor (Indian Point Power)
 Channels, void static distribution in boiling, 2: 28
 Channels (circular)
 See also Tubes
 hydrodynamic characteristics, 1: 59
 superheated-steam heat transfer, 2: 19-20
 Channels (fuel), spacing measurement methods, 1: 32
 temperature determination methods, 1: 30
 Channels (rectangular), boiling songs, 1: 29
 burnout, 3: 17-21
 flow distribution determination, steady state, 1: 32
 superheated-steam heat transfer, 2: 19-20
 Channels (square), hydrodynamic characteristics, 1: 59
 Chapelcross Reactors (UK)
 See Reactors (Chapelcross)(UK)
 Chemonuclear reactors
 See Reactors (chemonuclear)
 Chlorine, reactions with uranium carbides, 1: 47
 Chromium, cooling with mercury, 3: 15
 Chromium-molybdenum steel
 See Steel (chromium-molybdenum)
 Circular fuel channels
 See Channels (circular)
 Coal, Canadian reserves, 2: 1-2
 European reserves, 2: 1-2
 U. S. reserves, 2: 1-3
 Coaxial cables, 4: 36
 COD(S-4) process, corrosion of reactor materials, 3: 45
 reactor decontamination, effectiveness, 3: 45
 Columbium
 See Niobium
 Combustion Engineering-General Nuclear Engineering Corp., nuclear superheater research, 3: 76-82
 Commonwealth Edison Reactor
 See Reactor (Dresden Power)
 Concrete
 See also specific types of concrete, e.g., Limonite, etc.
 shielding properties at elevated temperatures, 2: 34-5
 shielding properties, water loss effects on, 2: 35
 Conduction (thermal)
 See Thermal conductivity
 Conferences, Reactor Kinetics Conference, Sun Valley, Idaho, Oct. 12-14, 1960, 2: 22-30
 Consolidated Edison Thorium Reactor
 See Reactor (Indian Point Power)
 Construction practices, 2: 44-51
 Containment, 2: 31-3
 Dresden Power Reactor, 4: 66-7
 Yankee Power Reactor, 3: 55
 Containment vessels, heat transfer after cooling-system rupture, 2: 31-2
 pressure suppression, 2: 32-3
 Control materials, 4: 39-46
 Control rods, boiling-water reactors, 3: 87
 cadmium-indium-silver alloys, 3: 48-51
 Dresden Power Reactor, 4: 43, 45-6, 59
 failure of boron-stainless steel systems, 4: 43, 45-6
 failure in Experimental Boiling-Water Reactor, 4: 43, 45-6
 nuclear superheaters, 3: 79, 82
 Organic-Moderated Reactor Experiment, 4: 45
 Shippingport Pressurized-Water Reactor, 4: 45
 Sodium Modular Reactor, 3: 93, 95
 Vallecitos Boiling-Water Reactor, 4: 45
 Yankee Power Reactor, 3: 48-50
 Convection (forced), in annuli, 2: 13-15
 burnout, 3: 24
 coefficients in superheated steam, 2: 19
 in spray cooling, 4: 22
 Convection (free), boiling heat transfer, 2: 17
 burnout, 2: 17-18; 3: 17-21
 Conventional power plants
 See Power plants (conventional)
 Coolant flow, BONUS Reactor, 3: 76-82
 organic-cooled and -moderated reactors, 1: 59
 Pathfinder Power Reactor, 3: 82
 sodium graphite reactors, 3: 90
 Sodium Modular Reactor, 3: 93, 94
 supercritical water reactors, 2: 79-80
 Coolant radioactivity, Experimental Boiling-Water Reactor, 3: 65-9
 Coolants, helium, 1: 63
 decomposition of organic in Organic-Moderated Reactor Experiment, 4: 76, 80, 82
 purification of organic, 2: 82-3
 Cooling (spray)
 See Spray cooling
 Cooling systems, design modifications in Sodium Reactor Experiment, 4: 73
 Dresden Power Reactor, 4: 61-2, 63-6
 heat transfer during rupture of pressurized water, 2: 31-2
 Yankee Power Reactor, 3: 50-2, 54
 Copper, cooling with mercury, 3: 15
 corrosion by carbon monoxide, carbon monoxide-carbon dioxide systems, and carbon monoxide-hydrogen systems, 3: 43-4
 neutron absorption cross section, 1: 19
 Copper (chrome-plated), cooling with mercury, 3: 15
 Copper-europium hexaboride systems
 See Europium hexaboride-copper systems
 Corrosion inhibitors, hydrogen peroxide-carbonate solutions, 3: 44-6
 Coupled reactors
 See Reactors (coupled)
 Critical assemblies
 See Reactor (name of critical assembly)
 Critical experiments, 3: 4-12; 4: 11-13
 BR-3 Reactor, 1: 22
 High-Temperature Test Facility, 1: 23-4
 plutonium-graphite systems, 1: 23
 plutonium-Plexiglas systems, 1: 23
 Thorium Uranium Physics Experimental Program, 1: 22-3
 uranium-zirconium alloys (zirconium-clad), 1: 23-4
 uranyl nitrate-water systems, 1: 23
 Yankee Power Reactor, 1: 21-2
 Criticality
 See as subheading under specific reactor, alloys, etc.

D

- Dancoff integral, 1: 16
 Decontamination, carbon steel, 2: 49-50
 water in pressurized-water reactors, 3: 44-6
 Departure from nucleate boiling, 3: 24
 heat transfer from horizontal tubes, 1: 27-9
 Deuterium oxide
 See Heavy water
 Dimple pile oscillator
 See Reactor (Dimple)
 DNB
 See Departure from nucleate boiling
 Doppler effect, in thermal reactors, 4: 14-17
 Doppler temperature coefficients, 1: 12-14
 Dounreay Fast-Breeder Reactor (UK)
 See Reactor (Dounreay Fast-Breeder) (UK)
 Dowtherm A, thermal-neutron diffusion, 1: 16-17
 Dragon Reactor (UK)
 See Reactor (Dragon) (UK)
 Dresden Power Reactor
 See Reactor (Dresden Power)
 Ducts, design for gas-cooled reactors, 1: 65-7
 Dungeness Reactors (UK)
 See Reactors (Dungeness) (UK)
 Dysprosium, reactivity-worth burnup, 4: 42
 Dysprosium oxide, reactivity worth, 4: 41

E

- EBWR
 See Reactor (Experimental Boiling-Water)
 Economics of nuclear power, 4: 1-10
 See also specific power reactors
 Enrico Fermi Fast-Breeder Reactor fuel-fabrication costs, 4: 93
 heavy-water reactors, 2: 62-4, 67, 68, 69-73
 Plutonium-Fuel Fast-Breeder Reactor, 4: 93, 94
 remote power stations, 2: 4-9
 seed-blanket reactors, 3: 38-41
 sodium graphite reactors, 3: 92; 4: 8, 9
 EDF Reactors (France)
 See Reactors (EDF) (France)
 EGCR
 See Reactor (Experimental Gas-Cooled)
 EL-4 Reactor (France)
 See Reactor (EL-4)
 Elk River Power Reactor
 See Reactor (Elk River)
 ELPHR
 See Reactor (Experimental Low-Temperature Process-Heat)
 Energy, available from coal, 2: 2-3
 available from uranium, 2: 2-3
 Engineering Test Reactor
 See Reactor (Engineering Test)
 Enriched uranium
 See Uranium (enriched); Uranium (highly enriched)
 Enriched uranium dioxide
 See Uranium dioxide (enriched)
 Enrico Fermi Fast-Breeder Reactor
 See Reactor (Enrico Fermi Fast-Breeder)
 Epoline-n (boron carbide impregnated), moderating properties, 3: 5
 Erbium, reactivity-worth burnup, 4: 42
 Erbium oxide, reactivity worth, 4: 40
 Ethanol, reactions with uranium carbides, 1: 47
 Ethylene glycol, reactions with uranium carbides, 1: 47
 synthesis from methanol, 3: 1
 ETR
 See Reactor (Engineering Test)

- Europe, coal reserves, 2: 1-2
 Europium, reactivity-worth burnup, 4: 42
 Europium hexaboride, corrosion by steam, 4: 44
 radiation effects, 4: 44
 solubility in boiling water, 4: 43
 Europium hexaboride-copper systems, reactivity worth, 4: 39, 40
 Evaluation, 1: 1-2
 Experimental Boiling-Water Reactor
 See Reactor (Experimental Boiling-Water) (EBWR)
 Experimental Breeder Reactors
 See Reactors (Experimental Breeder) (EBR)
 Experimental Gas-Cooled Reactor
 See Reactor (Experimental Gas-Cooled) (EGCR)
 Experimental Low-Temperature Process-Heat Reactor
 See Reactor (Experimental Low-Temperature Process-Heat)
 Experimental Organic-Cooled Reactor
 See Reactor (Experimental Organic-Cooled)
 Exponential experiments, 4: 11-13

F

- Fast-breeder reactors
 See Reactors (fast-breeder)
 Federal regulations, radiation-protection standards, 1: 43-4
 Fermi Fast-Breeder Reactor
 See Reactor (Enrico Fermi Fast-Breeder)
 Ferrophosphorus concrete, shielding properties, 2: 34
 shielding properties at elevated temperatures, 2: 35
 Ferrous alloys
 See Iron alloys; Stainless steel; Steel; specific iron alloys
 Finned fuel elements
 See Fuel elements (finned)
 Fission-gas release, BORAX-IV Reactor, 1: 54
 Experimental Boiling-Water Reactor, 1: 52-54
 Shippingport Pressurized-Water Reactor, 1: 54
 temperature effects on rates, 1: 54
 uranium, 1: 54-5
 uranium dioxide fuel elements, 1: 65
 uranium dioxide-thorium oxide systems, 1: 52-3
 Vallecitos Boiling-Water Reactor, 1: 54
 Flanges, leaks in Calder Hall Reactors, 3: 69-70
 Florida Power Reactor
 See Reactor (Florida Power)
 Fluid flow, 1: 27-33; 3: 13-28; 4: 19-30
 effect of rate on burnout, 2: 18
 heat-transfer effects on stability, 2: 17
 hydrodynamic instability, 2: 27-8
 Fluid flow (turbulent), boiling heat transfer, 2: 15-18
 Fluid flow (two-phase), 4: 28-9, 31
 boiling heat transfer, 2: 15-18
 slip-velocity determination, 2: 26
 transients, 3: 24
 Fluid-fuel reactors
 See Reactors (fluid-fuel)
 Fluorine, reactions with uranium carbides, 1: 47
 Foils (gold), neutron-attenuation measurements, 2: 34
 Foils (sulfur), neutron-attenuation measurements, 2: 34
 Forced convection
 See Convection (forced)
 Free convection
 See Convection (free)
 Freeze seals
 See Seals (freeze)
 Fuel cells, cesium chloride-lithium chloride-rubidium chloride-sodium chloride systems, 3: 2
 in combination with reactors, 3: 2-3
 lithium hydride, 3: 2-3
 Fuel channels
 See Channels (fuel)
 Fuel conversion ratio, 1: 5-9
 Fuel cycles, 1: 3-10; 3: 38-41; 4: 37-8
 Fuel development, 2: 38-43
 Fuel elements, Advanced Organic-Moderated Reactor, 1: 61-2
 burnup, 1: 61-2
 CANDU Reactor, 2: 65-6, 74
 comparison of various dispersions, 1: 61
 criticality of Puerto Rico Nuclear Center Research Reactor, 3: 7
 design for fast-breeder reactors, 4: 84-96
 development, 1: 45-56
 Enrico Fermi Fast-Breeder Reactor, 1: 51-2; 4: 85, 93
 Experimental Gas-Cooled Reactor, 1: 63-5; 3: 6
 exponential experiments in uranium, 2: 10
 Hallam Power Reactor, 1: 51
 NPD-2 Reactor, 2: 65
 nuclear superheater, 3: 76-80
 organic-moderated and -cooled reactors, 1: 58-62
 Piqua Power Reactor, 1: 58, 60-1
 sodium graphite reactors, 3: 88, 90
 spray-cooled reactors, 1: 75-6
 temperature determination methods, 1: 30
 thermal conductivity of uranium dioxide, 2: 38-43
 uranium-aluminum alloys, 1: 58, 61
 uranium-beryllium alloys, 1: 61-2
 uranium carbide-plutonium carbide systems, 1: 51
 uranium carbides, 1: 52; 3: 91
 uranium dioxide, 1: 75-8; 4: 85
 uranium dioxide-thorium oxide systems, radiation effects, 1: 52-4
 uranium-graphite systems, 1: 61-2
 uranium-magnesium alloys, 1: 61
 uranium-molybdenum-aluminum alloys (aluminum-clad, finned), 1: 60
 uranium-niobium alloys, 1: 61-2
 uranium-zirconium alloys, 1: 61-2
 Variable Moderator Reactor, 1: 77-8
 Fuel elements (finned), fabrication, 1: 60
 heat transfer in organic reactors, 1: 58
 Fuel elements (pins), application in Plutonium-Fuel Fast-Breeder Reactor, 4: 94
 radiation effects, 4: 84-5
 Fuel elements (plates), application in Plutonium-Fuel Fast-Breeder Reactor, 4: 94
 buckling measurements on uranium, 2: 11-12
 burnout, 1: 38
 heat transfer, 4: 19-20
 uranium-molybdenum alloys, 1: 58
 Fuel elements (rods), boiling-water reactors, 3: 86-7
 buckling measurements on uranium, 2: 11-12
 buckling measurements on uranium dioxide, 2: 11
 criticality of plutonium-aluminum alloys, (Zircaloy-2-clad), 3: 6
 design modifications in Sodium Reactor Experiment, 4: 73-4
 design of rods and assemblies for Dresden Power Reactor, 4: 56-9
 Doppler effect, 4: 14
 fast-fission factors, 3: 4-5
 flux hardening effects, 1: 11-12
 heat transfer, 2: 20

Fuel elements (rods) (Continued)
 heat transfer by gas, 1: 29-30
 nuclear measurements, 3: 5
 Fuel elements (thimbles), sodium graphite reactors, 3: 88-9
 Sodium Modular Reactor, 3: 93-4
 Fuel elements (tubes), criticality of uranium dioxide (aluminum-clad), 3: 4
 Heavy-Water Components Test Reactor, 2: 65
 NPD-2 Reactor, 2: 65
 uranium dioxide (Zircaloy-2-clad), 2: 65, 67-70
 uranium-zirconium alloys (Zircaloy-clad), 2: 65
 Yankee Power Reactor, 3: 47-8
 Fuel elements (Zircaloy-clad), autoclave testing, 2: 49
 Fuel handling, Dresden Power Reactor, 4: 65-6
 Yankee Power Reactor, 3: 54-5
 Fuel pins
See Fuel elements (pins)
 Fuel plates
See Fuel elements (plates)
 Fuel-processing plants, nuclear safety, 4: 14
 Fuel resources, 2: 1-3
 Fuel rods
See Fuel elements (rods)
 Fuel thimbles
See Fuel elements (thimbles)
 Fuel tubes
See Fuel elements (tubes)
 Fuel washing systems, design modifications in Sodium Reactor Experiment, 4: 74
 Furfural, moderating properties, 3: 4
 Furfuryl alcohol, moderating properties, 3: 4

G

Gadolinium, flux hardening effects, 1: 11-12
 Gamma radiation
See Radiation (gamma)
 Gas-cooled heavy-water reactors
See Reactors (gas-cooled heavy-water-moderated)
 Gas-cooled reactors
See Reactors (gas-cooled)
 Gas-Cooled Reactor Experiments
See Reactors (Gas-Cooled, Experiment)
 Gas disposal, 2: 87-8
 from Piqua Power Reactor, 2: 24-8
 Gas flow, determination methods, 1: 29
 duct design, 1: 65-7
 Gas-solid systems
See Solid-gas systems
 Gaseous diffusion process, cost factors, 1: 3-5
 GCRE
See Reactors (Gas-Cooled, Experiment)
 General Electric Company, nuclear super-heater research, 3: 72-5
 General Electric Test Reactor
See Reactor (General Electric Test)
 General Nuclear Engineering Corp.—Combustion Engineering
See Combustion Engineering—General Nuclear Engineering Corp.
 Glands, leaks in Calder Hall Reactors, 3: 69-70
 Glass (boron)
See Boron (glass)
 GLEEP Reactor
See Reactor (GLEEP)
 Godiva Critical Facility
See Reactor (Godiva Critical Facility)
 Godiva Reactors
See Reactors (Godiva)
 Gold, neutron absorption cross section, 1: 19
 reactivity worth, 4: 39, 40

Gold foils

See Foils (gold)

Graphite, moderating properties, 3: 6-7
 neutron absorption cross sections, 1: 19-20
 Graphite-moderated reactors
See Reactors (graphite moderated)
 Graphite-plutonium systems
See Plutonium-graphite systems

H

Hafnium diboride, corrosion by steam, 4: 44
 radiation effects, 4: 44
 solubility in boiling water, 4: 43
 Half-fast reactors
See Reactors (coupled)
 Hallam Power Reactor
See Reactor (Hallam Power)
 Hanford Production Reactors
See Reactors (Hanford Production)
 Hanford Test Reactor
See Reactor (Hanford Test)
 Heat transfer, 1: 27-33; 2: 13-21; 3: 13-28; 4: 19-30
 mathematical analysis, 3: 26-7
 Heavy water, recovery in Experimental Boiling-Water Reactor, 2: 59
 Heavy-water boiling reactors
See Reactors (heavy-water boiling)
 Heavy-Water Components Test Reactor
See Reactor (Heavy-Water Components Test)
 Heavy-water-cooled organic-moderated reactors
See Reactors (Organic-cooled heavy-water-moderated)
 Heavy-water-moderated reactors
See Reactors (heavy-water)
 Heavy water—uranium nitrate systems
See Uranium nitrate—heavy water systems
 Helium, corrosion problems caused by impurities, 3: 43-4
 reactor cooling, 1: 63
 Heterogeneous reactors
See Reactors (heterogeneous)
 High-Flux Isotope Reactor
See Reactor (High-Flux Isotope)
 High-Temperature Test Facility
See Reactor (High-Temperature Test Facility)
 Hinkley Point Reactors (UK)
See Reactors (Hinkley Point)(UK)
 HIPPO
See Reactor (HIPPO)
 Homogeneous Reactor Experiments
See Reactors (Homogeneous, Experiment)
 Homogeneous reactors
See Reactors (homogeneous)
 Horizontal tubes
See Tubes (horizontal)
 Hot-channel factors, 1: 30-2
 HTTF
See Reactor (High-Temperature Test Facility)
 Humboldt Bay Reactor
See Reactor (Humboldt Bay Power)
 Hunterston Reactors (UK)
See Reactors (Hunterston)(UK)
 Hydraulic effects, 2: 26-8
 Hydrazine, synthesis from ammonia, 3: 1-2
 Hydrogen, corrosion of iron alloys, 3: 43
 corrosion of nickel alloys, 3: 43
 reactions with uranium carbides, 1: 47
 Hydrogen-carbon monoxide systems
See Carbon monoxide—hydrogen systems
 Hydrogen peroxide—carbonate solution, corrosion inhibition applications, 3: 44-6
 Hydrogen sulfide, reactions with uranium carbides, 1: 47

I

Inconel alloy, corrosion by carbon monoxide, carbon monoxide—carbon dioxide systems, and carbon monoxide—hydrogen systems, 3: 43-4
 Inconel 702 alloy, corrosion by carbon monoxide, carbon monoxide—carbon dioxide systems, and carbon monoxide—hydrogen systems, 3: 43-4
 Inconel X alloy, corrosion by ammonium citrate process solutions, 3: 45
 corrosion by carbon monoxide, carbon monoxide—carbon dioxide systems, and carbon monoxide—hydrogen systems, 3: 43-4
 corrosion by sodium bisulfate process solutions, 3: 44
 Indian Point Power Reactor
See Reactor (Indian Point Power)
 Indium, flux hardening effects, 1: 11-12
 Indium-cadmium-silver alloys
See Cadmium-indium-silver alloys
 Instrumentation, 4: 34-6
 Shippingport Pressurized-Water Reactor, 2: 52, 56; 4: 35
 Yankee Power Reactor, 3: 53-4
 Iodine, reactions with uranium carbides, 1: 47
 Iron, shielding properties, 2: 35
 Iron alloys, corrosion by carbon dioxide, 3: 43
 corrosion by carbon monoxide, 3: 43
 corrosion by hydrogen, 3: 43

J

JAPC Reactor (Japan)
See Reactor (JAPC)(Japan)
 Jezebel Plutonium Critical Facility
See Reactor (Jezebel Plutonium Critical Facility)
 JPDR Reactor (Japan)
See Reactor (JPDR)(Japan)

K

Kahl Reactor (West Germany)
See Reactor (Kahl)(West Germany)
 Kerosene, reactions with uranium carbides, 1: 47
 KEWB
See Reactors (Kinetic Experiment on Water Boilers)
 Kinetic Experiment on Water Boilers
See Reactors (Kinetic Experiment on Water Boilers)(KEWB)

L

Latina Reactor (Italy)
See Reactor (Latina)(Italy)
 Lead, reactions with uranium carbides, 1: 46
 Leaks, Calder Hall Reactors, 3: 69-70
 Experimental Boiling Water Reactor, 3: 56
 Limonite concrete, shielding properties at elevated temperatures, 2: 34-5
 Liquid-metal-cooled reactors
See Reactors (liquid-metal-cooled)
 Liquid-metal pumps
See Pumps (liquid-metal)
 Liquid metals
See Metals (liquid)
 Lithium-aluminum alloys
See Aluminum-lithium alloys
 Lithium chloride—cesium chloride—rubidium chloride—sodium chloride systems
See Cesium chloride—lithium chloride—rubidium chloride—sodium chloride systems

Lithium hydride, fuel cell applications, 3: 2-3
 Lithium-6-magnesium alloys, reactivity worth, 4: 40
 instabilities in boiling pentane, 3: 27
 Los Alamos Scientific Laboratory, criticality accident, August 1945, 2: 29
 Loss-of-coolant accidents, 1: 38-9
 experiments in ZEEP, 2: 11
 Lutetium, flux hardening effects, 1: 11-12
 reactivity-worth burnup, 4: 42

M

Magnesium-lithium alloys
See Lithium-magnesium alloys
 Magnesium-uranium alloys
See Uranium-magnesium alloys
 Magnetite concrete, shielding properties at elevated temperatures, 2: 34
 Magnetite limonite concrete, shielding properties at elevated temperatures, 2: 34-5
 Marine reactors
See Reactors (marine)
 Maritime Gas-Cooled Reactor
See Reactor (Maritime Gas-Cooled)
 McMurdo Sound Reactor
See Reactor (McMurdo Sound)
 Mercury, heat transfer, 3: 15-17
 Metal-water reactions, rates, 1: 39-40
 Metals (liquid)
See also specific metals and alloys
 flow partitioning with variable orifices, 4: 19
 heat transfer, 3: 15-17
 pumping, 2: 59-61
 Methanol, ethylene glycol synthesis from, 3: 1
 MGCR
See Reactor (Maritime Gas-Cooled)
 ML-1 Reactor
See Reactor (ML-1)
 Moderators (canned), sodium graphite reactors, 3: 89
 Sodium Modular Reactor, 3: 93, 95
 Molybdenum, corrosion by carbon dioxide-carbon monoxide systems, carbon monoxide, and carbon monoxide-hydrogen systems, 3: 43-4
 reactions with uranium carbides, 1: 46
 Molybdenum-aluminum-uranium alloys
See Uranium-molybdenum-aluminum alloys
 Molybdenum-silicon-uranium systems
See Uranium-molybdenum-silicon systems
 Molybdenum-uranium alloys
See Uranium-molybdenum alloys
 Monel alloy, corrosion by ammonium citrate process solutions, 3: 45
 corrosion by carbon dioxide-carbon monoxide systems, carbon monoxide, and carbon monoxide-hydrogen systems, 3: 43-4

N

NaK
See Sodium-potassium alloys (liquid)
 Natural convection
See Convection (free)
 Neuglobsow Reactor (East Germany)
See Reactors (Neuglobsow)(East Germany)
 Neutron-activation distribution measurements, High-Temperature Test Facility, 1: 23-4
 uranium-zirconium alloys (zirconium-clad), 1: 23-4
 Neutron economy, in heavy-water reactors, 2: 64
 Neutron radiation
See Radiation (neutron)

Neutrons, attenuation in zirconium, 2: 36
 background source in new reactors, 1: 17-19
 penetration through iron slabs, 2: 35
 production per fission of uranium-235 in uranium-238, average, 1: 19
 reflection by beryllium, 3: 10
 Neutrons (thermal), capture spectra, 2: 34
 diffusion in Dowtherm A, 1: 16-17
 diffusion in water, 1: 16-17
 penetration through boral, 2: 36
 New Production Reactor
See Reactor (New Production)
 Nichrome V alloy, reactions with uranium carbides, 1: 46
 Nickel, cooling with mercury, 3: 15
 Nickel (chrome-plated), cooling with mercury, 3: 15
 Nickel alloys
See also specific nickel alloys
 corrosion by carbon dioxide, 3: 43
 corrosion by carbon monoxide, 3: 43
 corrosion by hydrogen, 3: 43
 Niobium, corrosion by carbon monoxide, carbon monoxide-carbon dioxide systems, and carbon monoxide-hydrogen systems, 3: 43-4
 reactions with uranium carbides, 1: 46
 Niobium-titanium alloys, corrosion by carbon monoxide, carbon monoxide-carbon dioxide systems, and carbon monoxide-hydrogen systems, 3: 43-4
 reactions with uranium carbides, 1: 46
 Niobium-uranium alloys
See Uranium-niobium alloys
 Niobium-zirconium alloys, corrosion by carbon monoxide, carbon monoxide-carbon dioxide systems, and carbon monoxide-hydrogen systems, 3: 43-4
 Nitric acid process, corrosion of reactor materials, 3: 45
 Nitrogen, reactions with uranium carbides, 1: 46-7
 NPD Reactors
See Reactors (NPD)(Canada)
 NRU Reactor
See Reactor (NRU)(Canada)
 N.S. Savannah Reactor
See Reactor (N.S. Savannah)
 Nuclear power, economics, 2: 4-9
 Nuclear power plants
See Power plants (nuclear)
 Nuclear safety guide, 4: 13-14
 Nuclear superheaters
See Superheaters (nuclear)
 Nucleate boiling
See Boiling (nucleate)

O

Oak Ridge National Laboratory, criticality accident, 2: 29
 OCDRE
See Reactor (Organic-Cooled Deuterium, Experiment)(OCDRE)
 OMRE
See Reactor (Organic-Moderated, Experiment)(OMRE)
 Oralloy
See Uranium (highly enriched)
 Organic coolants
See Coolants
 Organic-Cooled Deuterium Reactor Experiment
See Reactor (Organic-Cooled Deuterium, Experiment)(OCDRE)
 Organic-cooled heavy-water-moderated reactors
See Reactors (organic-cooled heavy-water-moderated)
 Organic materials
See specific organic materials

Organic-Moderated Reactor Experiment
See Reactor (Organic-Moderated, Experiment)(OMRE)
 Organic-moderated reactors
See Reactors (organic-cooled and -moderated)
 ORNL Critical Experiments Facility
See Reactor (ORNL Critical Experiments Facility)
 Oxalic acid process, corrosion of reactor materials, 3: 45
 Oxygen, reactions with uranium carbides, 1: 46-7

P

Pajarito Critical Assemblies Facility
See Reactors (Pajarito Critical Assemblies Facility)
 Parr Shoals Reactor
See Reactor (Parr Shoals Power)
 Pathfinder Reactor
See Reactor (Pathfinder Power)
 PCTR
See Reactor (Physical Constants Testing)
 Pentane, instabilities in boiling loops, 3: 27
 Permanganate solutions, corrosion film oxidation, 3: 44
 PFFBR
See Reactor (Plutonium-Fuel Fast-Breeder)
 Phenanthrenes, alkyl-, evaluation as reactor coolants, 4: 79
 radiation effects, 4: 79
 Phosphoric acid process, corrosion of reactor materials, 3: 45
 Physical Constants Testing Reactor
See Reactor (Physical Constants Testing)
 Pins (fuel)
See Fuel elements (pins)
 Pipes, steam-line corrosion, 3: 65-6
 Piqua Reactor
See Reactor (Piqua Power)
 PL-2 Reactor
See Reactor (PL-2)
 Plexiglas, moderating properties, 3: 5
 Plexiglas-plutonium systems
See Plutonium-Plexiglas systems
 Plutonium, criticality, 3: 8, 9
 neutron multiplication measurements, 3: 5
 Plutonium-239, alpha activities, specific, 1: 19
 breeding ratios, 1: 9
 flux hardening effects, 1: 11-12
 radiation effects, 4: 86
 resonance fission integrals, 4: 13
 Plutonium-240, alpha activities, specific, 1: 19
 Plutonium-241, flux hardening effects, 1: 11-12
 resonance fission integrals, 4: 13
 Plutonium-aluminum alloys, fuel-element applications in organic reactors, 1: 58
 Plutonium-aluminum alloys (Zircaloy-2-clad), criticality, 3: 6
 Plutonium carbide-uranium systems
See Uranium-plutonium carbide systems
 Plutonium carbide-uranium carbide systems
See Uranium carbide-plutonium carbide systems
 Plutonium carbides, physical properties, 1: 48
 Plutonium dioxide-uranium dioxide systems
See Uranium dioxide-plutonium dioxide systems
 Plutonium-Fuel Fast-Breeder Reactor
See Reactor (Plutonium-Fuel Fast-Breeder)
 Plutonium-fuel reactors
See Reactors (plutonium-fuel)

Plutonium-graphite systems, criticality measurements, 1: 23

Plutonium-Plexiglas systems, criticality measurements, 1: 23

Plutonium Recycle Test Reactor

See Reactor (Plutonium Recycle Test)

Plutonium-uranium alloys

See Uranium-plutonium alloys

PM-1 Reactor

See Reactor (PM-1)

PM-2A Reactor

See Reactor (PM-2A)

Polyphenyls

See also Terphenyl

gas removal, 2: 84-8

purification, 2: 82-3

Popsy Critical Assembly

See Reactor (Popsy Critical Assembly)

Potassium-sodium alloys (liquid)

See Sodium-potassium alloys (liquid)

Power excursions, research, 2: 22-5

Power plants (conventional), economics of remote, 2: 4-9

Power plants (nuclear), economics of remote, 2: 4-9

Power plants (remote), 2: 4-9

cooling with mercury, 3: 15-16

Power reactors

See Reactors (power)

Preamplifiers, 4: 36

Pressure drop, effect on burnout, 2: 18

Pressure tube reactors

See Reactors (pressure tube)

Pressure vessels, ASME codes for design and construction, 2: 44-8

ASTM specifications for reactor, 4: 50-1

British specifications for reactor, 4: 51-4

design for Advanced Gas-Cooled Reactor, 4: 52, 54

design for Berkeley Reactors, 4: 52, 54

design for Bradwell Reactors, 4: 52, 54

design for Calder Hall Reactors, 4: 52, 54

design for Chapelcross Reactors, 4: 54

design for Dragon Reactor, 4: 52

design for Dresden Power Reactor, 4: 62

design for Hunterston Reactors, 4: 52, 54

design for Latina Reactor, 4: 52, 54

nuclear superheaters, 3: 79

radiation effects, 2: 46

sodium graphite reactors, 3: 90

Yankee Power Reactor, 3: 52-3

Pressure waves, propagation in steam-water systems, 4: 31

Pressurized Critical Assembly

See Reactor (Pressurized Critical Assembly)

Pressurized-water reactors

See Reactors (pressurized-water)

Process Development Pile

See Reactor (Process Development Pile)

Process heat reactors

See Reactors (process heat)

PRTR

See Reactor (Plutonium Recycle Test)

Puerto Rico Nuclear Center Research Reactor

See Reactor (Puerto Rico Nuclear Center Research)

Puerto Rico Reactor

See Reactor (BONUS)

Pumps, Dresden Power Reactor, 4: 64-5

leakage in heavy-water reactors, 4: 70-3

SL-1 Reactor, 1: 69

Pumps (centrifugal), liquid-metal pumping, 2: 59-61

Pumps (liquid-metal), Hallam Power Reactor, 2: 59-61

sodium graphite reactors, 3: 90

PWR

See Reactor (Shippingport Pressurized-Water)

R

Radiation (alpha), specific activities in

plutonium-239, 1: 19

specific activities in plutonium-240, 1: 19

Radiation (gamma), materials for shielding, 3: 36

penetration through iron slabs, 2: 35

from uranium-239 decay at 74 kev, 1: 16

Radiation (neutron), penetration through iron slabs, 2: 35

Radiation (thermal)

See Thermal radiation

Radiation chemistry, ethylene glycol synthesis

from methanol, 3: 1

hydrazine synthesis from ammonia, 3: 1

Radiation effects, alkylphenanthrenes, 4: 79

beryllium, 1: 65

borides, 4: 42-3, 44

boron, 4: 44

boron carbide, 4: 44

fuel pins in Experimental Breeder Reactor-II, 4: 84-5

organic coolants, 4: 76, 79, 82

plutonium-239, 4: 86

pressure vessels, 2: 46

uranium, 1: 54-5

uranium-235, 4: 86

uranium-239, 4: 84-5

uranium alloys, 4: 84-5

uranium carbides, 1: 46-50

uranium dioxide-thorium oxide systems, 1: 52-4

uranium-molybdenum alloys, 1: 60

uranium-molybdenum-aluminum alloys, 1: 60

uranium-molybdenum-silicon systems, 1: 60

Zircaloy-2 tubing, 3: 42-3

Radiation protection, regulations, 1: 43-4

Radioisotopes, nuclear properties, 4: 32-3

Rapsodie Reactor (France)

See Reactor (Rapsodie)(France)

Reactivity excursions, 1: 37-8

fast-breeder reactors, 4: 86-96

Reactor containment

See Containment

Reactor control

See also Control rods

Dresden Power Reactor, 4: 61, 62-3, 67

sodium graphite reactors, 3: 92-3

Yankee Power Reactor, 3: 53-4, 55

Reactor fuel elements

See Fuel elements

Reactor instrumentation

See Instrumentation

Reactor physics, 1: 11-26; 2: 10-12; 3: 4-12; 4: 11-18

Reactor safety, criticality hazards, 4: 13-14

Experimental Boiling-Water Reactor, 3: 59

metal-water reactions, 1: 37-42

radiation from power reactors, 4: 33

Yankee Power Reactor, 3: 47

Reactor shielding

See Shielding (biological)

Reactor transfer functions, 2: 25-6

Reactors, ASME specifications for pressure

vessels, 2: 44-8

ASTM specifications for pressure vessels, 4: 50-1

British specifications for pressure vessels, 4: 51-4

in combination with fuel cells, 3: 2-3

core instrumentation, 4: 34-6

decontamination by COD(S-4) process, 3: 45

design, 2: 44-51; 4: 50-68

dynamics, 1: 34-6; 3: 29-35

hazards, 1: 37-42

kinetics, 2: 22-30

operating experience, 3: 56-70; 4: 69-75

spray cooling, 4: 20-5

Reactor (A1W), carbon steel applications, 2: 49

Reactor (Advanced Gas-Cooled)(UK), pressure-vessel design, 4: 52, 54

steam-cycle efficiency, 4: 48

Reactor (Advanced Organic-Moderated), fuel-element development, 1: 61-2

Reactor (Advanced Sodium Graphite), design, 3: 91-3

Reactors (AGN-201), radiation chemistry applications of AGN-201M, 3: 2

Reactor (AGR)(UK)

See Reactor (Advanced Gas-Cooled)(UK)

Reactor (Alco Products Critical Facility), critical experiments, 3: 7-8

Reactor (APS-1)(USSR), steam-cycle efficiency, 4: 48

Reactor (Argonne Low-Power)

See Reactor (SL-1)

Reactor (AVR)(West Germany), steam-cycle efficiency, 4: 48

Reactors (Berkeley)(UK), pressure-vessel design, 4: 52, 54

steam-cycle efficiency, 4: 48

Reactors (beryllium-moderated)

See also Reactor (General Electric Test)

(GETR)

breeding ratios, 1: 8

economics, 4: 3, 4, 5

steam-cycle efficiency, 4: 48

Reactor (BN-50)(USSR), steam-cycle efficiency, 4: 48

Reactor (Bohuncice)(Czechoslovakia), steam-cycle efficiency, 4: 48

Reactors (boiling-water), 1: 68-70

See also Reactor (BONUS); Reactors

(BORAX); Reactor (Byeloyarsk)(USSR);

Reactor (Dresden Power); Reactor (Elk

River Power); Reactor (Experimental

Boiling-Water); Reactor (Humboldt Bay

Power); Reactor (JPDR)(Japan); Reactor

(Kahl)(West Germany); Reactors (Kinetic

Experiment on Water Boilers); Reactor

(Pathfinder Power); Reactor (PL-2); Re-

actor (SENNA)(Italy); Reactor (SL-1); Re-

actor (Vallecitos Boiling-Water); Reactor

(Variable Moderator)

applications for remote power stations,

2: 4-9

control rods, 3: 87

dynamics, 3: 29-33

economics, 4: 8, 9

marine applications, 3: 86-7

stability, 1: 34-5

Reactor (BONUS), bibliographies, 1: 57

development, 3: 76-82

economics, 4: 3, 4, 5

steam-cycle efficiency, 4: 48

Reactors (BORAX), fission-gas release in

BORAX-IV, 1: 54

reactivity excursions in BORAX-I, 1: 38

stability, 1: 34

step tests on BORAX-IV, 2: 25

superheated-steam heat transfer in BORAX-

V, 2: 19-20

superheater design for BORAX-V, 1: 71-3

superheater development for BORAX-V,

3: 82-3

water analysis in BORAX-IV, 3: 63

Reactor (BR-3)(Belgium), critical experiments, 1: 22

steam-cycle efficiency, 4: 48

Reactor (HR-5)(USSR), fuel materials, 4: 85

Reactors (Bradwell)(UK), pressure-vessel design, 4: 52, 54

steam-cycle efficiency, 4: 48

Reactors (Bulk Shielding), 1/p measurements in BSR-I, 2: 25

1/β measurements in BSR-II, 2: 25

criticality experiments, 3: 7

Reactor (Byeloyarsk)(USSR), steam-cycle efficiency, 4: 48

- Reactors (Calder Hall)(UK), duct design, 1: 66-7
 leak testing, 3: 69-70
 pressure-vessel design, 4: 52, 54
 resonance integrals, 1: 15
- Reactor (CANDU)(Canada), design, 2: 65-6, 74; 4: 65
 economics, 4: 3, 4
 steam-cycle efficiency, 4: 48
- Reactor (Carolinas-Virginia Power)
 See Reactor (Parr Shoals Power)
- Reactors (Chapelcross)(UK), pressure-vessel design, 4: 54
- Reactors (chemonuclear), 3: 1-2
- Reactor (Commonwealth Edison)
 See Reactor (Dresden Power)
- Reactors (coupled), 2: 29
- Reactor (DIMPLE)(UK), Doppler temperature coefficients measurement on, 1: 12-13
 resonance integrals, 1: 19
- Reactor (Dounreay Fast-Breeder)(UK), steam-cycle efficiency, 4: 49
- Reactor (Dragon)(UK), pressure-vessel design, 4: 52
- Reactor (Dresden Power), control, 4: 61, 62-3, 67
 control-rod composition, 4: 46
 control-rod failure, 4: 43, 45-6
 core instrumentation, 4: 35
 design details, 4: 56-68
 fuel-fabrication costs, 4: 5
 spatial power distribution stability, 2: 26
 steam-cycle efficiency, 4: 48
- Reactors (Dungeness)(UK), steam-cycle efficiency, 4: 48
- Reactors (EDF)(France), steam-cycle efficiency, 4: 48
- Reactor (EL-4)(France), 2: 74
- Reactor (Elk River Power), bibliographies, 1: 57
 economics, 4: 3, 4, 5
 steam-cycle efficiency, 4: 48
- Reactor (Engineering Test), control-rod experience, 4: 45
- Reactor (Enrico Fermi Fast-Breeder), bibliographies, 1: 57
 Doppler effect, 4: 16-17
 economics, 4: 3, 4, 5
 fuel elements, 1: 51-2; 4: 85
 fuel-fabrication costs, 4: 93
 fuel materials, 4: 85
 steam-cycle efficiency, 4: 49
- Reactor (Experimental Boiling-Water)(EBWR), control-rod failure, 4: 43, 45-6
 core instrumentation, 4: 35
 dynamics, 3: 29-33
 economics, 4: 3
 fission-gas release, 1: 52-4
 fuel elements, radiation effects, 1: 52-4
 heavy-water recovery, 2: 59
 inspection after operation, 3: 56-69
 operating experience, 3: 65-69
 stability, 1: 34
 steam contamination, 1: 54
 steam-cycle efficiency, 4: 48
 step tests, 2: 25
 superheater experiments, 3: 82-3
 vapor-recovery system testing, 2: 59
 test-report list, 3: 62-3
- Reactors (Experimental Breeder)(EBR), core design of EBR-I, 1: 35
 economics of EBR-II, 4: 3, 5
 radiation effects on fuel pins in EBR-II, 4: 84-5
 steam-cycle efficiency of EBR-II, 4: 49
- Reactor (Experimental Gas-Cooled)(EGCR), 1: 63-5
 cooling system, 1: 29-30
 core instrumentation, 4: 35
 economics, 4: 3, 5
 fuel-element critical experiments, 3: 6
 lattice-parameter measurements, 1: 23
- steam-cycle efficiency, 4: 48
 temperature coefficient of reactivity, 1: 15
 test loops, 3: 6
- Reactor (Experimental Low-Temperature Process-Heat), design, 1: 1-2
- Reactor (Experimental Organic-Cooled)(EOCR), design, 4: 76
- Reactors (fast-breeder), 4: 84-96
 See also Reactor (BN-50)(USSR); Reactor (BR-5)(USSR); Reactor (Dounreay Fast-Breeder)(UK); Reactor (Enrico Fermi Fast-Breeder); Reactors (Experimental Breeder); Reactor (Plutonium-Fuel Fast-Breeder); Reactor (Rapsodie)(France); Reactor (ZEBRA)(UK); Reactor (ZPR-3)
- applications for remote power stations, 2: 4
 economics, 4: 8, 9
- Reactor (Florida Power), bibliographies, 1: 57
 design, 2: 73-6
 economics, 4: 3, 4, 5
 steam-cycle efficiency, 4: 48
- Reactors (fluid-fuel), applications for remote power stations, 2: 4
- Reactors (gas-cooled), 1: 63-7
 See also Reactor (Advanced Gas-Cooled)(UK); Reactor (AVR)(West Germany); Reactors (Berkeley)(UK); Reactor (Bohunice)(Czechoslovakia); Reactors (Bradwell)(UK); Reactors (Calder Hall)(UK); Reactors (Chapelcross)(UK); Reactor (Dragon)(UK); Reactors (Dungeness)(UK); Reactors (EDF)(France); Reactor (Experimental Gas-Cooled)(EGCR); Reactor (Gas-Cooled, Experiment)(GCRE); Reactor (GLEEP)(UK); Reactor (Hanford Test); Reactors (Hinkley Point)(UK); Reactors (Hunterston)(UK); Reactor (JAPC)(Japan); Reactor (Latina)(Italy); Reactor (ML-1); Reactor (Maritime Gas-Cooled); Reactor (Neuglobsow)(East Germany); Reactors (Size-well)(UK); Reactors (Trawslynnydd)(UK); Reactor (TREAT)
- applications for remote power stations, 2: 4
 cooling systems, 1: 29-32
- Reactors (Gas-Cooled, Experiment)(GCRE), core instrumentation of GCRE-I, 4: 35
- Reactors (gas-cooled heavy-water-moderated)
 See Reactor (EL-4)(France); Reactor (Florida Power)
- Reactor (General Electric Test)(GETR), control-rod failure, 4: 43, 45-6
 superheater tests, 3: 72
- Reactor (GLEEP), neutron absorption cross-section measurements, 1: 20
- Reactors (Godiva), power excursion in Godiva-I, 2: 29
 power excursions in Godiva-II, 2: 24
- Reactor (Godiva Critical Facility), 3: 8-9
- Reactors (graphite-moderated)
 See also Reactors (sodium graphite); Reactor (Advanced Gas-Cooled)(UK); Reactor (APS-1)(USSR); Reactor (AVR)(West Germany); Reactors (Berkeley)(UK); Reactor (Bohunice)(Czechoslovakia); Reactors (Bradwell)(UK); Reactors (Calder Hall)(UK); Reactors (Chapelcross)(UK); Reactor (Dragon)(UK); Reactors (Dungeness)(UK); Reactors (EDF); Reactor (Experimental Gas-Cooled)(EGCR); Reactor (Gas-Cooled, Experiment)(GCRE); Reactor (GLEEP)(UK); Reactor (Hanford Test); Reactors (Hinkley Point)(UK); Reactors (Hunterston)(UK); Reactor (JAPC)(Japan); Reactor (Latina)(Italy); Reactor (Neuglobsow)(East Germany); Reactor (New Production); Reactor (Physical Constants Testing); Reactors (Size-well)(UK); Reactor (Thermal Test); Reactors (Trawslynnydd)(UK); Reactor (TREAT)
- breeding ratios, 1: 8
- Reactor (Hallam Power), bibliographies, 1: 57
 core II, 3: 91
 economics, 4: 3, 4, 5
 flow orifices, 4: 19
 freeze seals, 4: 55
 fuel elements, 1: 51; 3: 91
 pumps, liquid-metal, 2: 59-61
 seals, 2: 60-1
 steam-cycle efficiency, 4: 49
 valve design, 4: 54-6
- Reactors (Hanford Production), core instrumentation, 4: 35
- Reactor (Hanford Test), neutron absorption cross-section measurements, 1: 19-20
- Reactors (heavy-water), 2: 62-77
 See also Reactor (CANDU)(Canada); Reactor (DIMPLE)(UK); Reactor (Florida Power); Reactor (Heavy-Water Components Test); Reactor (HIPPO)(Canada); Reactor (NPD)(Canada); Reactor (NRU)(Canada); Reactor (Parr Shoals); Reactor (Plutonium Recycle Test); Reactor (Process-Development Pile); Reactor (Spectral Shift Control); Reactor (ZEEP)(Canada); Reactor (Zoé)(France)
- applications for remote power stations, 2: 4
 breeding ratios, 1: 8
 physics, 2: 11
 pump leakage, 4: 70-3
 supercritical water reactors, 2: 78-81
 valve leakage, 4: 70-3
- Reactors (heavy-water boiling), design, 2: 65-6
- Reactor (Heavy-Water Components Test), burnout, 3: 21
 carbon steel applications, 2: 49
 design, 2: 74
 fuel elements, 2: 65
- Reactors (heavy-water-moderated organic-cooled)
 See Reactors (organic-cooled heavy-water-moderated)
- Reactors (heterogeneous)
 See also specific reactors
- flux hardening effects, 1: 11-12
- Reactor (High-Flux Isotope), burnout, 3: 17-21
 criticality studies on mockup, 3: 7
- Reactor (High-Temperature Test Facility), criticality measurements, 1: 23-4
 neutron-activation distribution measurements, 1: 23-4
- Reactors (Hinkley Point)(UK), steam-cycle efficiency, 4: 48
- Reactor (HIPPO)(Canada), temperature coefficient of reactivity, 2: 11
- Reactors (homogeneous)
 See also Reactor (Gas-Cooled, Experiment)(GCRE); Reactors (Homogeneous, Experiment)(HRE); Reactor (TREAT)
- critical experiments, 3: 7
- Reactors (Homogeneous, Experiment)(HRE), fuel instability in HRE-II, 2: 26
- Reactor (Humboldt Bay Power), economics, 4: 3, 4, 5
 pressure suppression during cooling-system rupture, 2: 32-3
 steam-cycle efficiency, 4: 48
- Reactors (Hunterston)(UK), pressure-vessel design, 4: 52, 54
 steam-cycle efficiency, 4: 48
- Reactors (hydride-moderated)
 See Reactor (Maritime Gas-Cooled); Reactor (SNAP Experimental)
- Reactor (Indian Point Power), core instrumentation, 4: 35
 critical experiments, 1: 22-3
 economics, 4: 3, 4
 steam-cycle efficiency, 4: 48
- Reactor (JAPC)(Japan), steam-cycle efficiency, 4: 48

- Reactor (Jezebel Plutonium Critical Facility), 3: 8
- Reactor (JPDR)(Japan), steam-cycle efficiency, 4: 48
- Reactor (Kahl)(West Germany), steam-cycle efficiency, 4: 48
- Reactors (Kinetic Experiment on Water Boilers)(KEWB), power excursions, 2: 23-4
- transfer-function measurements, 3: 33
- Reactor (Latina)(Italy), pressure-vessel design, 4: 52, 54
- steam-cycle efficiency, 4: 48
- Reactors (liquid-metal-cooled)
- See also Reactors (sodium graphite); Reactor (BN-50)(USSR); Reactor (BR-5)(USSR); Reactor (Dounreay Fast-Breeder)(UK); Reactor (Enrico Fermi Fast-Breeder); Reactors (Experimental Fast-Breeder); Reactor (Plutonium-Fuel Fast-Breeder); Reactor (Rapsodie)(France); Reactor (SNAP Experimental); Reactor (ZEBRA)(UK); Reactor (ZPR-3)
- economics, 4: 8, 9
- Reactor (McMurdo Sound), fuel-fabrication costs, 4: 5
- steam-cycle efficiency, 4: 48
- Reactor (ML-1), criticality experiments on ML-1-1B, 4: 12
- design parameters, 2: 7
- Reactors (marine)
- See also Reactor (Maritime Gas-Cooled); Reactor (N.S. Savannah)
- boiling-water reactors, 3: 86-7
- Reactor (Maritime Gas-Cooled), corrosion problems, 3: 43-4
- Reactor (Neuglobsow)(East Germany), steam-cycle efficiency, 4: 48
- Reactor (New Production), carbon steel applications, 2: 49
- Reactors (NPD)(Canada), buckling measurements on fuel rods of NPD-1, 2: 11
- design of NPD-2, 2: 64-5, 74
- steam-cycle efficiency of NPD-2, 4: 48
- Reactor (NRU)(Canada), approach-to-critical experiments, 2: 11
- temperature coefficient of reactivity, 2: 11
- Reactor (N.S. Savannah), core instrumentation, 4: 35
- shielding, 3: 36
- Reactors (organic-cooled and -moderated), 1: 58-62; 4: 76-83
- See also Reactors (organic-cooled heavy-water-moderated); Reactor (Advanced Organic-Moderated); Reactor (Experimental Organic-Cooled)(EOCR); Reactor (Organic-Moderated, Experiment)(OMRE); Reactor (Piqua Power)
- applications for remote power stations, 2: 4, 6
- criticality experiments in USSR, 1: 23
- Reactor (Organic-Cooled Deuterium, Experiment)(OCDRE), design, 2: 76
- Reactors (organic-cooled heavy-water-moderated)
- See also Reactor (Organic-Cooled Deuterium, Experiment)(OCDRE)
- design, 4: 76
- economics, 4: 8, 9
- Reactor (Organic-Moderated, Experiment)(OMRE), control-rod experience, 4: 45
- core instrumentation, 4: 35
- design, 1: 58; 4: 76-83
- Reactor (ORNL Critical Experiments Facility), critical experiments on highly enriched uranium, 3: 7
- Reactors (Pajarito Critical Assemblies Facility), 3: 9-10
- Reactor (Parr Shoals Power), bibliographies, 1: 57
- design, 2: 73, 74
- economics, 4: 3, 4, 5
- steam-cycle efficiency, 4: 48
- Reactor (Pathfinder Power), bibliographies, 1: 57
- economics, 4: 3, 4, 5
- steam-cycle efficiency, 4: 48
- superheater development, 3: 82
- Reactor (Physical Constants Testing), Experimental Gas-Cooled Reactor fuel-element testing, 3: 6
- graphite moderating properties measurement, 3: 6-7
- neutron absorption cross-section measurements, 1: 19-20
- temperature coefficient of reactivity, 1: 15
- Reactor (Piqua Power), auxiliary systems, 2: 82-8
- bibliographies, 1: 57
- core instrumentation, 4: 35
- design, 4: 76
- economics, 4: 3, 4, 5
- fuel elements, 1: 58, 60-1
- steam-cycle efficiency, 4: 49
- Reactor (PL-2), design parameters, 2: 7
- economics at remote locations, 2: 6-8
- Reactors (plutonium-fuel)
- See also Reactor (BN-50)(USSR); Reactor (BR-5)(USSR); Reactor (Jezebel Plutonium Critical Facility); Reactor (Plutonium-Fuel Fast-Breeder); Reactor (Plutonium Recycle Test); Reactor (Rapsodie)(France)
- breeding ratios, 1: 7-8
- reactivity factors, 4: 86-96
- Reactor (Plutonium-Fuel Fast-Breeder), fuel-element design, 4: 94
- fuel-fabrication costs, 4: 93
- Reactor (Plutonium Recycle Test), core instrumentation, 4: 35
- design, 2: 73-4
- pump design, 4: 71-3
- Reactors (PM), core instrumentation in PM-1, 4: 35
- design parameters in PM-1, 2: 7
- design parameters in PM-2A, 2: 7
- Reactor (Popsy Critical Assembly), 3: 8
- Reactors (power)
- See also specific power reactors
- breeding ratios, 1: 5-9
- heat transfer, 2: 20
- radiation from, 4: 33
- Reactors (pressure-tube), 2: 65-7
- See also Reactor (Byeloyarsk)(USSR); Reactor (CANDU)(Canada); Reactor (New Production); Reactor (Parr Shoals Power)
- Reactor (Pressurized Critical Assembly), criticality studies, 2: 10
- Reactors (pressurized-water)
- See also Reactor (A1W); Reactor (APS-1)(USSR); Reactor (BR-3)(Belgium); Reactor (Experimental Low-Temperature Process-Heat); Reactor (High-Temperature Test Facility); Reactor (Indian Point Power); Reactor (McMurdo Sound); Reactor (N.S. Savannah); Reactors (PM); Reactor (Pressurized Critical Assembly); Reactor (Saxton Power); Reactor (SELNI)(Italy); Reactor (Shippingport Pressurized-Water); Reactors (SM); Reactor (Spectral Shift Control); Reactors (SPERT); Reactor (Ulyanovsk)(USSR); Reactor (Veronezh)(USSR); Reactor (Yankee Power)
- applications for remote power stations, 2: 4-9
- economics, 4: 8, 9
- heat transfer during cooling-system rupture, 2: 31-2
- thermal analysis, 1: 32
- water decontamination, 3: 44-6
- Reactor (Process Development Pile), buckling measurements, 2: 11-12
- thermal-neutron distribution measurements, 2: 10-11
- Reactors (process heat)
- See also Reactor (Low-Temperature Process-Heat)
- evaluation, 1: 1-2
- Reactor (Puerto Rico)
- See Reactor (BONUS)
- Reactor (Puerto Rico Nuclear Center Research), fuel-element criticality, 3: 7
- Reactor (Rapsodie)(France), fuel materials, 4: 85
- Reactors (Savannah River), step tests, 2: 25
- Reactor (Saxton Power) bibliographies, 1: 57
- fuel-fabrication costs, 4: 5
- steam-cycle efficiency, 4: 48
- Reactors (seed-blanket), economic potentials, 3: 38-41
- Reactor (SELNI)(Italy), economics, 4: 3, 4
- steam-cycle efficiency, 4: 48
- Reactor (SENN)(Italy), economics, 4: 3, 4, 5
- steam-cycle efficiency, 4: 48
- Reactor (Shippingport Pressurized-Water), control-rod experience, 4: 45
- core design, 2: 52-3
- core modifications, 2: 58
- economics, 4: 3, 5
- fission-gas release, 1: 54
- fuel cycle, 3: 38-41
- fuel-element thermal conductivity, 2: 41
- instrumentation, 2: 52, 56; 4: 35
- refueling, 2: 52-8
- steam-cycle efficiency, 4: 48
- step tests, 2: 25
- Reactors (Sizewell)(UK), steam-cycle efficiency, 4: 48
- Reactor (SL-1), 1: 68-70
- Reactors (SM), control-rod failure of SM-1, 4: 43, 45-6
- critical experiments on SM-2, 3: 7-8
- economics of SM-1, 4: 3
- economics of SM-2 at remote locations, 2: 6-8
- nuclear measurements on SM-1, 3: 8
- steam-cycle efficiency of SM-1, 4: 48
- pressure suppression during cooling-system rupture of SM-1, 2: 33
- Reactors (small power)
- See also Reactor (AVR)(West Germany); Reactor (BONUS); Reactor (Dounreay Fast-Breeder)(UK); Reactor (Experimental Boiling-Water)(EBWR); Reactors (Experimental Breeder); Reactor (Kahl)(West Germany); Reactor (McMurdo Sound); Reactor (ML-1); Reactor (Piqua Power); Reactors (PM); Reactor (Saxton Power); Reactor (SL-1); Reactors (SM); Reactor (Sodium, Experiment)(SRE); Reactor (Vallecitos Boiling-Water)
- invitation to bid on 22,000 kw(e), 1: 1
- Reactor (SNAP Critical Assembly), critical measurements, 3: 4
- Reactor (SNAP Experimental), criticality experiments, 4: 12
- Reactor (Sodium, Experiment)(SRE), control-rod experience, 4: 45
- core instrumentation, 4: 35
- design modifications, 4: 73-4
- economics, 4: 3, 5
- oscillation measurements, 3: 33-4
- steam-cycle efficiency, 4: 49
- Reactors (sodium graphite), 3: 89-96
- See also Reactor (Advanced Sodium Graphite); Reactor (Hallam Power); Reactor (Sodium, Experiment)(SRE); Reactor (Sodium Modular)
- applications for remote power stations, 2: 4
- economics, 3: 92; 4: 8, 9
- pressure vessels, 3: 90
- Reactor (Sodium Modular), 3: 93-6
- Reactor (Spectral Shift Control), criticality experiments, 4: 12

Reactors (SPERT), hydrodynamic instabilities in SPERT-IA, 2: 27-8

oscillator program in SPERT-I, 2: 25
power excursions in SPERT-I, 2: 22-3
reactivity excursions in SPERT-I, 1: 38
stability, 1: 34

steam voids in SPERT-IA, 2: 27

Reactors (spray-cooled), 1: 74-7

Reactors (supercritical-water), 2: 78-81
Reactors (superheater)

See Superheaters (nuclear); Reactor (BO-NUS); Reactor (Byelorarsk)(USSR); Reactor (Elk River Power); Reactor (Pathfinder)

Reactors (thermal), Doppler effect, 4: 14-17

Reactor (Thermal Test), neutron multiplication and exponential experiments, 3: 6

Reactor (Topsy Critical Facility), 3: 8

Reactors (Trawsfynydd)(UK), steam-cycle efficiency, 4: 48

Reactor (TREAT), burnout, 1: 40-1

kinetics, 3: 34

power excursions, 2: 24-5

Reactor (Ulyanovsk)(USSR), steam-cycle efficiency, 4: 48, 49

Reactor (Vallecitos Boiling-Water), control-rod experience, 4: 45

fission-gas release, 1: 54

fuel-fabrication costs, 4: 5

SADE loop superheater experiments, 3: 74-5
stability, 1: 34

steam-cycle efficiency, 4: 48

Reactor (Variable Moderator), 1: 77-8

critical assemblies, 3: 4

Reactor (Veronezh)(USSR), steam-cycle efficiency, 4: 48

Reactors (water-cooled)

See Reactors (water-cooled and -moderated); Reactor (ML-1); Reactor (New Production); Reactor (Thermal Test)

Reactors (water-cooled and -moderated)

See also Reactors (boiling-water); Reactors (pressurized-water); Reactor (Alco Products Critical Facility); Reactors (Bulk Shielding); Reactor (Engineering Test); Reactor (General Electric Test)(GETR); Reactors (Homogeneous, Experiment)(HRE); Reactor (ORNL Critical Experiments Facility)

breeding ratios, 1: 6-8

metal-water reaction studies, 1: 37

power distribution, 1: 17

critical experiments, 1: 21-2

nuclear constants measurements, 1: 21

Reactor (Yankee Power), 3: 47-55

bibliographies, 1: 57

core instrumentation, 4: 35

critical experiments, 1: 21-2

economics, 4: 3, 4, 5, 6

operating experience, 4: 69-70

power distributions in critical experiments, 1: 17

steam-cycle efficiency, 4: 48

Reactor (ZEBRA)(UK), buckling measurements, 2: 11

Reactor (ZEEP)(Canada), reactivity, 2: 11

Reactor (Zoé)(France), neutron absorption

cross-section measurements, 1: 20

Reactor (ZPR-3), step tests, 2: 25

Rectangular channels

See Channels (rectangular)

Refueling, Shippingport Pressurized-Water

Reactor, 2: 52-8

Sodium Modular Reactor, 3: 94

Rods

See Fuel elements (rods)

Remote power plants

See Power plants (remote)

Rubidium chloride-cesium chloride-lithium

chloride-sodium chloride systems

See Cesium chloride-lithium chloride-

rubidium chloride-sodium chloride

systems

S

SADE loop, superheater studies, 3: 74-5

Saline water conversion, reactor application, 1: 2

Samarium, flux hardening effects, 1: 11-12

reactivity-worth burnup, 4: 42

Samarium hexaboride, corrosion by steam, 4: 44

radiation effects, 4: 44

Santowax OMB

See also Polyphenyls

gas removal, 2: 84-8

purification, 2: 82-3

Santowax R

See Terphenyl

Savannah River production reactors

See Reactors (Savannah River)

Saxton Power Reactor

See Reactor (Saxton Power)

Seals, BORAX-V superheater, 3: 83

Hallam Power Reactor, 2: 60-1

leakage in Calder Hall Reactors, 3: 69-70

Seals (freeze), Hallam Power Reactor, 2: 60;

4: 55

Seed-blanket reactors

See Reactors (seed-blanket)

SELNI (Italy) Power Reactor

See Reactor (SELNI)(Italy)

SENN (Italy) Power Reactor

See Reactor (SENN)(Italy)

Shielding (biological), 2: 34-7; 3: 36-7;

4: 32-3

Dresden Power Reactor, 4: 67-8

SL-1 Reactor, 1: 68

Yankee Power Reactor, 3: 54

Shippingport Pressurized-Water Reactor

See Reactor (Shippingport Pressurized-

Water)

Shutdown, Yankee Power Reactor, 3: 47

Silicon, reactions with uranium carbides,

1: 46

Silicon-molybdenum-uranium systems

See Uranium-molybdenum-silicon systems

Silver-cadmium alloys

See Cadmium-silver alloys

Silver-indium-cadmium alloys

See Cadmium-indium-silver alloys

Sizewell Reactors (UK)

See Reactors (Sizewell)(UK)

SL-1 Reactor

See Reactor (SL-1)

Slip velocity, determination, 2: 26

SM Reactors

See Reactors (SM)

Small power reactors

See Reactors (small power)

SNAP Critical Assembly

See Reactor (SNAP Critical Assembly)

SNAP Experimental Reactor

See Reactor (SNAP Experimental)

Sodium bisulfate process, corrosion of reactor

materials, 3: 44

Sodium chloride-cesium chloride-lithium

chloride-rubidium chloride systems

See Cesium chloride-lithium chloride-

rubidium chloride-sodium chloride

systems

Sodium graphite reactors

See Reactors (sodium graphite)

Sodium (liquid), reactions with uranium car-

bides, 1: 46

valve design for containing, 4: 54-6

Sodium Modular Reactor

See Reactor (Sodium Modular)

Sodium-potassium alloys (liquid), reactions

with uranium carbides, 1: 46

Sodium Reactor Experiment

See Reactor (Sodium, Experiment)

Solid-gas systems, heat transfer, 3: 16-17

Spectral Shift Control Reactor

See Reactor (Spectral Shift Control)

SPERT Reactors

See Reactors (SPERT)

Spray-cooled reactors

See Reactors (spray-cooled)

Spray cooling, 4: 20-5

Square fuel channels

See Channels (square)

SRE

See Reactor (Sodium, Experiment)

Stainless steel, applications in supercritical

water reactors, 2: 81

corrosion by ammonium citrate process

solutions, 3: 45

corrosion by carbon monoxide, carbon

monoxide-carbon dioxide systems, and

carbon monoxide-hydrogen systems,

3: 43-4

corrosion by oxalic acid process solutions,

3: 45

corrosion by phosphoric acid process solu-

tions, 3: 45

corrosion by sodium bisulfate process solu-

tions, 3: 44

reactions with uranium carbides, 1: 46

Stainless steel-boron systems

See Boron-stainless steel systems

Stainless steel-uranium dioxide cermets

See Uranium dioxide-stainless steel

cermets

Stationary Low-Power Plant No. 1

See Reactor (SL-1)

Steam

See also Water vapor

contamination in Experimental Boiling-Water

Reactor, 1: 54

corrosion of borides, 4: 43, 44

corrosion of boron, 4: 44

corrosion of boron carbide, 4: 44

corrosion of boron nitride, 4: 43, 44

corrosion of pipes, 3: 65-6

corrosive effects in nuclear superheaters,

3: 72-4

reactions with uranium carbide-zirconium

carbide systems, 1: 52

reactions with Zircaloy, 1: 38-9

reactions with zirconium, 1: 38-9

separation from water, 3: 81, 82

superheater cooling, 3: 13-15

Steam (superheated), heat transfer, 2: 19-20

thermal conductivity, 2: 19

viscosity, 2: 19

Steam cycles, efficiency, 4: 47-9

Steam plants, Dresden Power Reactor, 4: 66

Steam-water systems, flow, 4: 28-9, 31

pressure-wave propagation, 4: 31

Steel, compatibility with aluminum, 1: 1-2

corrosion by water, 1: 2

radiation effects in pressure vessels, 2: 46

reactions with uranium carbides, 1: 46

Steel (boron), impact tests, 4: 46

Steel (carbon), corrosion by ammonium citrate

process solutions, 3: 45

corrosion by COD(S-4) process solutions,

3: 45

corrosion by nitric acid process solutions,

3: 45

corrosion by oxalic acid process solutions,

3: 45

corrosion by phosphoric acid process solu-

tions, 3: 45

corrosion rates, 2: 49-50

corrosion by sodium bisulfate process solu-

tions, 3: 44

decontamination, 2: 49-50

reactor applications, 2: 49-50

Steel (chromium-molybdenum), corrosion by

carbon monoxide, carbon monoxide-carbon

dioxide systems, and carbon monoxide-

hydrogen systems, 3: 43-4

Steel (stainless)

See Stainless steel

Stellite alloy, corrosion by nitric acid process solutions, **3**: 45
 Subcritical assemblies
 See Reactor (name of subcritical assembly)
 Sulfur foils
 See Foils (sulfur)
 Supercritical water, technology, **2**: 80-1
 Supercritical-water reactors
 See Reactors (supercritical-water)
 Superheater reactors
 See Superheaters (nuclear)
 Superheaters (nuclear), **1**: 71-3; **2**: 19-20; **3**: 71-85
 See also Reactor (BONUS); Reactor (Byeloyarsk)(USSR); Reactor (Elk River Power); Reactor (Pathfinder Power)
 shutdown, **3**: 13-15
 spray-cooled reactors, **1**: 75-6; **4**: 24-5

T

Tankers, nuclear propulsion, **3**: 87
 Tantalum, reactions with uranium carbides, **1**: 46
 Terbium oxide, reactivity worth, **4**: 40
 Terphenyl, boiling heat transfer, **4**: 82
 properties, **4**: 77-8
 reactions with uranium carbides, **1**: 47
 Thermal conductivity, mathematical analysis, **2**: 13
 perforated solids, **4**: 19-20
 Shippingport Pressurized-Water Reactor fuel elements, **2**: 41
 superheated steam, **2**: 19
 thorium oxide, **1**: 53
 uranium-aluminum alloys, **1**: 61
 uranium carbides, **1**: 50
 uranium dioxide, **1**: 50; **2**: 38-43
 uranium-graphite systems, **1**: 61-2
 uranium-magnesium alloys, **1**: 61
 Thermal effects, **2**: 26-8
 Thermal expansion, uranium carbides, **1**: 50
 uranium dioxide, **1**: 50
 Thermal-neutron diffusion parameters, **1**: 16-17
 Thermal neutrons
 See Neutrons (thermal)
 Thermal radiation, heat transfer, **2**: 20
 Thermal reactors
 See Reactors (thermal); specific reactors
 Thermal Test Reactor
 See Reactor (Thermal Test)
 Thimbles (fuel)
 See Fuel elements (thimbles)
 Thorium, Doppler coefficients, **1**: 12-14; **4**: 15-16
 Thorium (irradiated), radioactivity, **4**: 37
 reactivity, **4**: 37-8
 Thorium carbides, physical properties, **1**: 48
 Thorium oxide, Doppler coefficients, **4**: 15-16
 thermal conductivity, **1**: 53
 Thorium oxide-uranium dioxide systems
 See Uranium dioxide-thorium oxide systems
 Thorium oxide-uranium systems
 See Uranium-thorium oxide systems
 Thorium Uranium Physical Experimental Program, critical experiments, **1**: 22-3
 Tin, shielding applications, **2**: 34
 Tin (liquid), reactions with uranium carbides, **1**: 46
 Titanium, reactions with uranium carbides, **1**: 46
 Titanium diboride, corrosion by steam, **4**: 44
 radiation effects, **4**: 44
 solubility in boiling water, **4**: 43
 Titanium-niobium alloys
 See Niobium-titanium alloys
 Topsy Critical Facility
 See Reactor (Topsy Critical Facility)

Transient analysis, **2**: 28-30
 Trawsfynydd Reactors (UK)
 See Reactors (Trawsfynydd)(UK)
 TREAT Reactor
 See Reactor (TREAT)
 Tubes
 See also Channels (circular) and Fuel elements (tubes)
 burnout, **3**: 21-4; **4**: 28
 cooling with mercury, **3**: 15-16
 criticality effects of aluminum, **2**: 11
 criticality effects of Zircaloy-2, **2**: 11
 fabrication of Zircaloy-2, **3**: 42
 Tubes (horizontal), heat transfer, **1**: 27-9
 Tungsten alloys, neutron reflection, **3**: 10
 TUPE
 See Thorium Uranium Physical Experimental Program
 Turbines, inspection of Experimental Boiling-Water Reactor, **3**: 56-7
 SL-1 Reactor, **1**: 69
 Yankee Power Reactor, **3**: 55
 Two-phase flow
 See Fluid flow (two-phase)

U

Ulyanovsk Reactor (USSR)
 See Reactor (Ulyanovsk)(USSR)
 United States, coal reserves, **2**: 1-3
 Uranium, background neutron source in new reactors, **1**: 17-19
 buckling measurements on plates, **2**: 11-12
 buckling measurements on rods, **2**: 11-12
 Canadian reserves, **2**: 1-2
 criticality studies on beryllium oxide moderated, **2**: 10
 Doppler coefficients, **4**: 14-15
 Doppler temperature coefficient, **1**: 12-14
 European reserves, **2**: 1-2
 fission-gas release, **1**: 54-5
 neutron reflection, **3**: 10
 prices, official AEC, **4**: 1-2
 radiation effects, **1**: 54-5
 reactions with water, **1**: 40-1
 resonance integrals, **1**: 16
 thermal-neutron distribution in heavy-water-moderated, **2**: 10-11
 U. S. reserves, **2**: 1-3
 Uranium (depleted), neutron reflection, **3**: 9-10
 Uranium (enriched), background neutron source in Zircaloy-2-clad, **1**: 17-19
 cost factors, **1**: 3-5
 critical configurations, **3**: 9
 neutron reflection, **3**: 10
 prices, official AEC, **4**: 1-2
 Uranium (highly enriched), criticality, **3**: 7
 Uranium (Lucite-clad), buckling measurements, **3**: 5
 Uranium-233, breeding ratio, **1**: 7-8
 neutron age to indium resonance measurements in water, isoamyl alcohol, cyclohexanone, benzyl alcohol, toluene, formic acid, and a mixture of organic compounds, **1**: 20-1
 Uranium-235, flux hardening effects, **1**: 11-12
 neutron production per fission in uranium-238, average, **1**: 19
 nuclear properties, **3**: 4
 radiation effects, **4**: 86
 resonance fission integrals, **4**: 13
 Uranium-238, cadmium ratios of wire, **2**: 11
 neutron production per fission of uranium-235 atom, average, **1**: 19
 nuclear properties, **3**: 4
 resonance capture, **1**: 16
 resonance capture integrals, **4**: 13
 Uranium-239, gamma activity from decay at 74 keV, **1**: 16
 breeding ratios, **4**: 91-4
 fabrication costs, **4**: 5
 radiation effects, **4**: 84-5
 Uranium alloys, radiation effects, **4**: 84-5
 Uranium-aluminum alloys, fuel-element applications in organic reactors, **1**: 58
 physical properties, **1**: 61
 Uranium-aluminum alloys (aluminum-clad), burnout, **1**: 38
 Uranium-beryllium alloys, physical properties, **1**: 61-2
 Uranium carbide-plutonium carbide systems, fuel-element applications, **1**: 51
 heat-transfer characteristics, **1**: 51
 Uranium carbide-zirconium carbide systems, reactions with water and steam, **1**: 52
 Uranium carbides, breeding ratios, **1**: 51-2
 criticality studies, **1**: 51
 development for reactor fuels, **1**: 45-56
 fabrication, **1**: 50-1
 Hallam Power Reactor fuel elements, **3**: 91
 mechanical properties, **1**: 48
 physical properties, **1**: 48
 preparation, **1**: 50-1
 radiation effects, **1**: 48-50
 reactions with acetone, **1**: 47
 reactions with acids, **1**: 47
 reactions with air, **1**: 46-7
 reactions with alkalis, **1**: 47
 reactions with aluminum, **1**: 45
 reactions with ammonia, **1**: 47
 reactions with benzene, **1**: 47
 reactions with beryllium, **1**: 46
 reactions with bismuth, **1**: 46
 reactions with bromine, **1**: 47
 reactions with carbon dioxide, **1**: 47
 reactions with carbon tetrachloride, **1**: 47
 reactions with chlorine, **1**: 47
 reactions with ethanol, **1**: 47
 reactions with ethylene glycol, **1**: 47
 reactions with fluorine, **1**: 47
 reactions with hydrogen, **1**: 47
 reactions with hydrogen sulfide, **1**: 47
 reactions with iodine, **1**: 47
 reactions with kerosene, **1**: 47
 reactions with lead, **1**: 46
 reactions with molybdenum, **1**: 46
 reactions with Nichrome V alloy, **1**: 46
 reactions with niobium, **1**: 46
 reactions with niobium-titanium alloys, **1**: 46
 reactions with nitrogen, **1**: 46-7
 reactions with oxygen, **1**: 46-7
 reactions with silicon, **1**: 46
 reactions with sodium (liquid), **1**: 46
 reactions with sodium-potassium alloys (liquid), **1**: 46
 reactions with stainless steel, **1**: 46
 reactions with steel, **1**: 46
 reactions with tantalum, **1**: 46
 reactions with terphenyl, **1**: 47
 reactions with tin, **1**: 46
 reactions with titanium, **1**: 46
 reactions with uranium carbides, **1**: 46
 reactions with water vapor, **1**: 47
 reactions with xylene, **1**: 47
 reactions with zinc (liquid), **1**: 46
 reactions with Zircaloy-2 alloy, **1**: 46
 reactions with zirconium, **1**: 46
 reactions with Zyglo solution, **1**: 47
 thermal conductivity, **1**: 50
 thermal expansion, **1**: 50
 Uranium dioxide, application as fuel in BR-5 Reactor (USSR), **4**: 85
 application as fuel in Rapsodie Reactor (France), **4**: 85
 breeding ratio, **1**: 7
 buckling measurements, **2**: 11
 criticality constants of cylinders in water lattices, **4**: 11-12
 Doppler coefficients, **4**: 15-16
 fabrication costs, **4**: 5
 fission-gas release, **1**: 65

Uranium dioxide (Continued)
 fuel-element applications, 1: 75-8; 4: 85
 radiation effects, 1: 65; 2: 41
 resonance capture, 1: 16
 thermal conductivity, 1: 50; 2: 38-43
 thermal expansion, 1: 50
 Yankee Power Reactor fuel elements,
 3: 47-8

Uranium dioxide (aluminum-clad), criticality,
 3: 4

Uranium dioxide (enriched), temperature co-
 efficient of reactivity for 7-rod cluster,
 1: 15

Uranium dioxide (stainless-steel-clad), criti-
 cality, 2: 10; 3: 5

Uranium dioxide (Zircaloy-2-clad), fabrication,
 2: 67-70
 NPD-2 Reactor fuel elements, 2: 65

Uranium dioxide-beryllium oxide systems,
 criticality experiments on Hastelloy-X-clad,
 4: 12

Uranium dioxide-plutonium dioxide systems,
 application in Plutonium-Fuel Fast-
 Breeder Reactor, 4: 94
 criticality studies, 1: 51-2

Uranium dioxide-stainless steel cermet,
 application as fuel in Enrico Fermi Fast-
 Breeder Reactor, 4: 85

Uranium dioxide-thorium oxide systems,
 criticality studies, 3: 7
 fission-gas release, 1: 52-3
 radiation effects, 1: 52-4

Uranium-graphite systems, buckling measure-
 ments, 3: 5
 mechanical properties, 1: 48
 physical properties, 1: 61-2

Uranium-magnesium alloys, physical proper-
 ties, 1: 61

Uranium-molybdenum alloys, application in
 Plutonium-Fuel Fast-Breeder Reactor,
 4: 94
 breeding ratios, 1: 51-2
 criticality studies, 1: 51
 fuel-element applications in organic reac-
 tors, 1: 58
 heat-transfer characteristics, 1: 51
 radiation effects, 1: 60
 reactions with water, 1: 40-1
 sodium graphite reactor fuel elements,
 3: 90

Uranium-molybdenum-aluminum alloys, radia-
 tion effects, 1: 60

Uranium-molybdenum-aluminum alloys
 (aluminum-clad, finned), fabrication, 1: 60

Uranium-molybdenum-silicon systems, radia-
 tion effects, 1: 60

Uranium-niobium alloys, physical properties,
 1: 61-2

Uranium-plutonium alloys, criticality experi-
 ments, 4: 12-13

Uranium-plutonium carbide systems, applica-
 tion in Plutonium-Fuel Fast-Breeder Reac-
 tor, 4: 94

Uranium-238-plutonium-239 systems, breed-
 ing effects, 4: 91-4

Uranium-stainless steel alloys, application in
 Plutonium-Fuel Fast-Breeder Reactor,
 4: 94

Uranium-thorium oxide systems, fabrication
 costs, 4: 5
 heat transfer, 4: 19-20

Uranium-zirconium alloys, physical proper-
 ties, 1: 61-2

Uranium-zirconium alloys (Zircaloy-clad),
 Heavy-Water Components Test Reactor fuel
 elements, 2: 65

Uranium-zirconium alloys (zirconium-clad),
 burnout, 1: 38
 criticality measurements, 1: 23-4
 neutron-activation distribution measure-
 ments, 1: 23-4

Uranyl nitrate-heavy water systems, criti-
 cality, 3: 7

Uranyl nitrate-water systems, criticality
 measurements, 1: 23

Vallecitos Boiling-Water Reactor
See Reactor (Vallecitos Boiling-Water)

Valves, design for Hallam Power Reactor,
 4: 54-6
 design for liquid-sodium applications,
 4: 54-6
 leakage in Calder Hall Reactors, 3: 69-70
 leakage in heavy-water reactors, 4: 70-3

Valves (butterfly), gas-cooled reactor applica-
 tions, 1: 66-7

Vanadium diboride, corrosion by steam, 4: 44
 solubility in boiling water, 4: 43

Vapor-recovery systems, Experimental
 Boiling-Water Reactor, 2: 59

Variable Moderator Reactor
See Reactor (Variable Moderator)

Vena contracta, effect on heat-transfer co-
 efficient, 2: 20

Veronezh Reactor (USSR)
See Reactor (Veronezh)(USSR)

W

Water, corrosion by
See Material corroded

decontamination in pressurized-water re-
 actors, 3: 44-6
 moderating properties, 3: 4
 reactions with uranium, 1: 40-1
 reactions with uranium carbide-zirconium
 carbide systems, 1: 52
 reactions with Zircaloy, 1: 37
 separation from steam, 3: 81, 82
 thermal-neutron diffusion, 1: 16-17

Water-cooled and -moderated reactors
See Reactors (water-cooled and
 -moderated)

Water purification systems, Dresden Power
 Reactor, 4: 65

Water vapor
See also Steam
 reactions with uranium carbides, 1: 47

Wolfram
See Tungsten

X

Xylene, reactions with uranium carbides,
 1: 47

Y

Y-12 Plant, criticality accident, June 1958,
 2: 29

Yankee Power Reactor
See Reactor (Yankee)

Ytterbium hexaboride, corrosion by steam,
 4: 44
 radiation effects, 4: 44
 solubility in boiling water, 4: 43

Yttrium hexaboride, corrosion by steam, 4: 44
 radiation effects, 4: 44

Yttrium tetraboride, corrosion by steam,
 4: 44
 radiation effects, 4: 44

Z

ZEBRA
See Reactor (ZEBRA)

ZEEP Reactor
See Reactor (ZEEP)

Zinc (liquid), reactions with uranium carbides,
 1: 46

Zircaloy alloy, reactions with steam, 1: 38-9
 reactions with water, 1: 37

Zircaloy-2 alloy, autoclave testing, 2: 48-9
 corrosion by ammonium citrate process
 solutions, 3: 45
 corrosion by sodium bisulfate process solu-
 tions, 3: 44
 criticality effects of tubes, 2: 11
 fabrication into tubing, 3: 42
 heat transfer, 4: 19-20
 radiation effects in tubing, 3: 42-3
 reactions with uranium carbides, 1: 46
 reactions with water, 1: 40-1

Zirconium, corrosion by nitric acid process
 solutions, 3: 45
 reactions with steam, 1: 38-9
 reactions with uranium carbides, 1: 46
 shielding properties, 2: 36

Zirconium carbide-uranium carbide systems
See Uranium carbide-zirconium carbide
 systems

Zirconium diboride, corrosion by steam,
 4: 44
 radiation effects, 4: 44
 solubility in boiling water, 4: 43

Zirconium hydride, moderator for nuclear
 superheaters, 3: 83

Zirconium-niobium alloys
See Niobium-zirconium alloys

Zirconium-uranium alloys
See Uranium-zirconium alloys

Zygló solution, reactions with uranium car-
 bides, 1: 47

Zoë Reactor
See Reactor (Zoë)

ZPR-3 Critical Assembly
See Reactor (ZPR-3)